

# РЕДКАЯ ПАТОЛОГИЯ

© Коллектив авторов, 2013

*Н.А. Харитонова, Г.В. Яцык, И.А. Беляева, О.Б. Конгакова*

## ВРОЖДЕННЫЙ ИХТИОЗ В ПРАКТИКЕ НЕОНАТОЛОГА

Научный центр здоровья детей РАМН, Москва

**В обзоре литературы представлены клинические проявления врожденного ихтиоза и проанализированы современные научные воззрения на вопросы классификации, диагностики, течения и лечения этой тяжелой патологии у новорожденных детей.**

***Ключевые слова:* врожденный ихтиоз, новорожденные, классификация, диагностика, лечение.**

**Clinical manifestations of a congenital ichthyosis are presented in the review of literature, modern scientific views on problematic of classification, diagnostics, the course and the treatment of this severe pathology with newborn children are analysed.**

после рождения от изменений внутренних органов, несовместимых с жизнью, истощения, сепсиса [15]. На сегодня известно также, что 10%

младенцев не имеют в дальнейшем изменений кожных покровов (selfhealing collodion baby) [6, 24].

## Литература

1. *Мурашкин Н.Н., Материкин А.И., Хотко А.А., Князев А.С.* Особенности клинического течения ихтиоза у детей. Казанский мед. журнал, 2011; 92 (2): 290–292.

2. *Орловская И.В., Рюмина И.И., Перепелкина А.Е.* Врожденный ихтиоз. Рос. вестн. перинатологии и педиатрии. 2009; 54 (6): 22–25.

3. *Nazzaro V, Ermacora E, Santucci B.* Epidermolitic hyperkeratosis: generalized form in children from parents with systematized linear form. Br. J. Dermatol. 1990; 122: 417–422.

4. *Wells RS, Kerr CB.* Genetic classification of ichthyosis. Arch. Derm. 1965; 92: 1–6.

5. *Кондратьева Ю.С., Сафонов Н.Е., Клеймуш В.А., Шупилов А.А.* Семейный случай иглистого ихтиоза. Вестн. дерматологии и венерологии. 2011; 4: 73–79.

6. Диагностика и комплексная реабилитация перинатальной патологии новорожденных детей. Г.В. Яцык, ред. М.: ПедиатрЪ, 2012.

7. *Oji V, Tadini G, Akiyama M, et al.* Revised nomenclature and classification of inherited ichthyosis: results of the First Ichthyosis Consensus Conference in Soreze 2009. J. Am. Acad. Dermatol. 2010; 63 (4): 607–641.

8. *Akiyama M, Sugiyama-Nakagiri Y, Sakai K, et al.* Mutations in lipid transporter ABCA12 in harlequin ichthyosis and functional recovery by corrective gene transfer. J. Clin. Invest. 2005; 115 (7): 1777–1784.

9. Online Mendelian inheritance in Man (<http://www.ncbi.nlm.nih.gov/OMIM>)

10. *Bitoun E, Chavanas S, Irvine AD, et al.* Netherton syndrome: disease expression and spectrum of SPINK5 mutations in 21 families. J. Invest. Dermatol. 2002; 118 (2): 352–361.

11. *Sun JD, Linden KG.* Netherton syndrome: a case report

and review of the literature. Int. J. Dermatol. 2006; 45 (6): 693–697.

12. *Кеннет Л. Джонс.* Наследственные синдромы по Дэвиду Смиту: Пер. с англ. Атлас-справочник. М.: Практика, 2011.

13. *Козлова С.И., Демикова Н.С.* Наследственные синдромы и медико-генетическое консультирование. М.: Авторская академия, 2007.

14. *Rizzo WB, Jenkins SM, Boucher P.* Recognition and diagnosis of neuro-ichthyotic syndromes. Semin. Neurol. 2012; 32 (1): 75–84.

15. *Зверькова Ф.А.* Болезни кожи у детей. СПб.: СОТИС, 1994.

16. *Djalilian AR, Kim JY, Saeed HN, et al.* Histopathology and treatment of corneal disease in keratitis, ichthyosis, and deafness (KID) syndrome. Eye (Lond). 2010 ; 24 (4): 738–740.

17. *Richard G, Rouan F, Willoughby CE, et al.* Missense mutations in GJB2 encoding connexin-26 cause the ectodermal dysplasia keratitis-ichthyosis-deafness syndrome. Am. J. Hum. Genet. 2002; 70 (5): 1341–1348.

18. *Caceres-Rios H, Tamayo-Sanchez L, Duran-Mckinster C, et al.* Keratitis-ichthyosis-deafness syndrome (KID). Pediatr. Dermatol. 1996; 13 (2): 105–113.

19. *Hummel M, Cunningham D, Mullett CJ, et al.* Left-sided CHILD syndrome caused by a nonsense mutation in the NSDHL gene. Am. J. Med. Genet A. 2003; 122 (3): 246–251.

20. *Judge MR, Harper J, Oranje A, et al.* Collodion baby and Harlequin ichthyosis. Textbook of Pediatric Dermatology. Second edition. Malden, Blackwell Publishing, 2006: 118–125.

21. *Shwayder T, Akland T.* Neonatal skin barrier: structure, function and disorders. Dermatol. Therapy. 2005; 18: 87–103.

22. *Judge MR, McLean WHI, Munro CS, et al.* Disorders

of keratinization. Rook's Textbook of Dermatology, 8<sup>th</sup> ed., Vol. 1. Massachusetts, Oxford, Victoria: Blackwell Science, 2010; 1981–1986.

23. Chung M, Pittenger J, Tobin S, et al. Expedient Treatment of a Collodion Baby. Case Reports in Dermatological Medicine Volume. 2011; Article ID 803782: 1–3.

24. Tuzun Y, Iscimen A, Pehlivan O. Collodion baby. J. Turk. Acad. Dermatol. 2008; 2 (2): 82201r, <http://www.jtad.org/2008/2/jtad82201r.pdf>

25. Akiyama M. Harlequin ichthyosis and other autosomal recessive congenital ichthyoses: the underlying genetic defects and pathomechanisms. J. Dermatol. Sci. 2006; 42 (2): 83–89.

26. Kelsell D, Norgett E, Unsworth H, et al. Mutations in ABCA12 underlie the severe congenital skin disease harlequin ichthyosis. Am. J. of Hum. Genet. 2005; 76 (5): 794–803.

27. Pickford J. Foundation for Ichthyosis and Related Skin Types Mode of access: <http://www.scalyskin.org/index.cfm>. Date of access: 25.10.2010

28. Akiyama M. ABCA12 mutations and autosomal recessive congenital ichthyosis: A review of genotype/phenotype correlations and of pathogenetic concepts. Human Mutation. 2010; 31: 1090–1096.

29. Lefevre C, Audebert S, Jobard F, et al. Mutations in the transporter ABCA12 are associated with lamellar ichthyosis type 2. Hum. Mol. Genet. 2003; 12 (18): 2369–2378.

30. Sakai K, Akiyama M, Yanagi T, et al. ABCA12 is a major causative gene for non-bullous congenital ichthyosiform erythroderma. J. Invest. Dermatol. 2009; 129 (9): 2306–2309.

31. Akiyama M. Updated molecular genetics and pathogenesis of ichthyoses. Nagoya J. Med. Sci. 2011; 73: 79–90.

32. Oji V, Traupe H. Ichthyosis: clinical manifestations and practical treatment options. Am. J. Clin. Dermatol. 2009; 10 (6): 351–364.

33. Rodriguez-Pazos L, Ginarte M, Toribio J, et al. Analysis of TGM1, ALOX12B, ALOXE3, NIPAL4 and CYP4F22 in autosomal recessive congenital ichthyosis from Galicia (NW Spain): evidence of founder effects. Br. J. Dermatol. 2011; 165 (4): 906–911.

34. Vahlquist A, Bygum A, Ganemo A, et al. Genotypic and clinical spectrum of selfimproving collodion ichthyosis: ALOX12B, ALOXE3, and TGM1 mutations in Scandinavian patients. J. Invest. Dermatol. 2010; 130 (2): 438–443.

35. Потоцкий И.И. Ихтиоз. Киев: Здоровья, 1981.

36. Eckl KM, de Juanes S, Kurtenbach J, et al. Molecular analysis of 250 patients with autosomal recessive congenital ichthyosis: evidence for mutation hotspots in ALOXE3 and allelic heterogeneity in ALOX12B. J. Invest. Dermatol. 2009; 129 (6): 1421–1428.

37. Harting M, Brunetti-Pierri N, Chan CS, et al. Self-healing collodion membrane and mild nonbullous congenital ichthyosiform erythroderma due to 2 novel mutations in the ALOX12B gene. Arch. Dermatol. 2008; 144 (3): 351–356.

38. Lacz NL, Schwartz RA, Kihiczak G. Epidermolytic hyperkeratosis: a keratin 1 or 10 mutational event. Int. J. Dermatol. 2005; 44 (1): 1–6.

39. Tsubota A, Akiyama M, Kanitakis J, et al. Mild recessive bullous congenital ichthyosiform erythroderma due to a previously unidentified homozygous keratin 10 nonsense mutation. J. Invest. Dermatol. 2008; 128 (7): 1648–1652.

40. Панкратов В.Г. Дерматология: учебное пособие. Ч. 2: Неинфекционная дерматология. Минск: БГМУ, 2008.

41. Адашкевич В.П. Системные ретиноиды в дерматологии: справочное пособие. Минск: Светоч, 2005.

42. Патология кожи: в 2 т. В.Н. Мордовцев, Г. Цветков, ред. М.: Медицина, 1993; Т 2.

43. Hazan C, Orlow SJ, Schaffer JV. X-linked recessive ichthyosis. Dermatol. Online J. 2005; 11 (4): 12.

44. Lefevre C, Bouadjar B, Karaduman A, et al. Mutations in ichthyin a new gene on chromosome 5q33 in a new form of autosomal recessive congenital ichthyosis. Hum. Mol. Genet. 2004; 13 (20): 473–482.

45. Рыжко В.М., Воронцов П.П. Генетическое исследование иктиоза: цитогенетическая характеристика больных. Украинський журнал дерматології, венерології, косметології. 2010; 39 (4): 33–38.

46. Yamamoto M, Sakaguchi Y, Itoh M, et al. Bathing suit ichthyosis with summer exacerbation: a temperature-sensitive. British Journal of Dermatology. 2012; 166: 672–674.

47. Akiyama M, Suzumori K, Hiroshi Shimizu H. Prenatal diagnosis of harlequin ichthyosis by the examination of keratinized hair canals and amniotic fluid cells at 19 weeks' estimated gestational age. Prenat. Diagn. 1999; 19: 167–171.

48. Akiyama M, Titeux M, Sakai K, et al. DNA-based prenatal diagnosis of harlequin ichthyosis and characterization of ABCA12 mutation consequences. J. Invest. Dermatol. 2007; 127 (3): 68–73.

49. Shimizu A, Akiyama M, Ishiko A, et al. Prenatal exclusion of harlequin ichthyosis; potential pitfalls in the timing of the fetal skin biopsy. Br. J. Dermatol. 2005; 153 (4): 811–814.

50. Vahlquist A, Ganemo A, Virtanen M. Congenital ichthyosis: an overview of current and emerging therapies. Acta Derm. Venerol. 2008; 88 (1): 4–14.